according to Regulation (EC) No 1907/2006

### **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

PYRO-SAFE® DEKORLACK SP 2

UFI: 0G3N-JNWA-JQCH-U17J

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Coating

# 1.3. Details of the supplier of the safety data sheet

Company name: svt Brandschutz

Vertriebsgesellschaft mbH International

Street: Glüsinger Straße 86
Place: D-21217 Seevetal

Telephone: +49 (0) 4105 / 4090 - 0 Telefax: +49 (0) 4105 / 4090 - 32

e-mail: info@svt.de Internet: www.svt.de

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 (0) 6132 / 84463 (GBK GmbH, Ingelheim)

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Special labelling of certain mixtures

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one; Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one

[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May

produce an allergic reaction.

EUH210 Safety data sheet available on request.

# Additional advice on labelling

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

## 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

High risk of slipping due to leakage/spillage of product.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Chemical characterization

Paint of waterbased polymer latex

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

When the first symptoms appear, or in case of doubt seek medical advice. In case of the person being

according to Regulation (EC) No 1907/2006

### **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 2 of 8

unconscious put him/her in a stable side position.

### After inhalation

Take affected person into fresh air. Consult a physician.

Get medical attention, if respiratory irritation develops or if breathing becomes difficult.

#### After contact with skin

Remove contaminated soaked clothing immediately.

In case of contact with skin wash off immediately with plenty of water.

Do not use solvents or thinners.

Consult a doctor if skin irritation persists.

## After contact with eyes

Rinse immediately with plenty of lukewarm water, also under the eyelids, for at least 15 minutes.

Do not rub eyes - contains inorganic fillers, which irritate the eyes mechanically like other inert materials. Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

### After ingestion

Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Consult a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

May produce an allergic reaction.

When the first symptoms appear, or in case of doubt seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Product itself does not burn. Use fire fighting measures that suit the environment and products stored.

Foam, carbon dioxide (CO2), dry chemical, water-spray

# Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Fire may produce: dense, black smoke. Inhalation of hazardous decomposition products can cause serious damage to health.

# 5.3. Advice for firefighters

In case of fire formation of dangerous gases possible.

In case of fire, wear suitable respiratory equipment with positive air supply.

# **Additional information**

Remove product from area of fire, or otherwise cool containers with water to avoid pressure being build up due to heat.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin or mucous membrane. Do not breathe vapours and aerosols.

Ensure adequate ventilation, especially in confined areas.

High risk of slipping due to leakage/spillage of product.

# 6.2. Environmental precautions

Do not discharge large amounts into the drains or bodies of water. Inform competent authority about release into the sewage, ground or into waters.

## 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

according to Regulation (EC) No 1907/2006

### **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 3 of 8

# 6.4. Reference to other sections

Information for disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

No special measures necessary if used correctly.

Do not keep containers unlocked.

Observe the technical data sheet.

# Advice on protection against fire and explosion

No special precautions required.

## Further information on handling

When using do not eat, drink or smoke.

### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Keep only in original container.

### Hints on joint storage

Keep at a distance of strong acids.

Incompatible with strong bases and oxidizing agents.

## Further information on storage conditions

Information on label instructions. Recommended storage temperature: 15 - 30 °C. Protect from heat and direct solar radiation.

### 7.3. Specific end use(s)

See identified use in SECTION 1.2

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# Additional advice on limit values

To date, no national critical limit values exist.

# 8.2. Exposure controls





## Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

## Protective and hygiene measures

Take the usual precautions when handling with chemicals.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

# Eye/face protection

Tightly fitting goggles (EN 166).

## **Hand protection**

Chemical-resistant gloves (EN 374), Safety gloves for the site (EN420, Cat. 1 or 2).

Follow the recommendations of the glove manufacturer for breakthrough properties especially for workplace conditions involving mechanical stress and contact duration.

according to Regulation (EC) No 1907/2006

### **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 4 of 8

Skin protection

Protective clothing

# Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type P1/A) (EN 14387).

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: refer to label
Odour: Almost odourless

pH-Value (at 20 °C): 8.0 - 9.0

Changes in the physical state

Melting point: Not determined Initial boiling point and boiling range:  $\sim 100\,^{\circ}\text{C}$  Flash point: Not applicable Sustaining combustion: Not sustaining combustion

**Flammability** 

Solid: Not applicable

**Explosive properties** 

The product is not explosive.

Lower explosion limits:

Upper explosion limits:

Not applicable

Ignition temperature:

Not applicable

**Auto-ignition temperature** 

Solid: No data available

Decomposition temperature: No data available

Oxidizing properties

Not fire-promoting.

Vapour pressure: 9.2954 hPa

(at 20 °C)

Density (at 20 °C): 1.291 g/cm³ Water solubility: Partially miscible

Solubility in other solvents

No data available

Partition coefficient:

Viscosity / dynamic:

No data available

6000 - 9000 mPa·s

(at 20 °C)

Viscosity / kinematic:

Solvent separation test:

Solvent content:

No data available

< 3 % weight

7 % weight

9.2. Other information

Solid content: 53 % weight

# **SECTION 10: Stability and reactivity**

according to Regulation (EC) No 1907/2006

### **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 5 of 8

## 10.1. Reactivity

Reactivity with the intended use is not associated with any hazards.

## 10.2. Chemical stability

Chemically stable.

## 10.3. Possibility of hazardous reactions

Exothermic reaction with strong acids. Exothermic reaction with strong bases.

## 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Keep from freezing.

### 10.5. Incompatible materials

Strong acids., strong bases, strong oxidizing agents

# 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

Keep only in original container.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

Health injuries are not known or expected under normal use.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Contact with eyes may cause irritation.

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

# Sensitising effects

Contains 1,2-Benzisothiazol-3(2H)-one; Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecological data are not available.

# 12.2. Persistence and degradability

Not determined

# 12.3. Bioaccumulative potential

Not determined

according to Regulation (EC) No 1907/2006

### **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 6 of 8

### 12.4. Mobility in soil

Not determined

# 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

#### 12.6. Other adverse effects

Not determined

### **Further information**

Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not discharge into the drains/surface waters/ground water. The waste code number must be agreed with the disposer / manufacturer / competent authority. Waste disposal according to local regulations.

### List of Wastes Code - residues/unused products

080112

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

### Contaminated packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

Cleaning agent: Water

# **SECTION 14: Transport information**

Land transport (ADR/RID)
14.1 LIN number:

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

### **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 7 of 8

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

2004/42/EC (VOC): 86 g/L

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### Additional information

Biocidal-Regulation (EC) No. 528/2012:

Protecting agent: Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and

2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

# Changes

Changes in chapter: 1,1, 4.1, 4.2, 5.3, 7.3, 9.1, 10.3

## Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

(Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

# Relevant H and EUH statements (number and full text)

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one; Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one

[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May

produce an allergic reaction.

EUH210 Safety data sheet available on request.

## **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

according to Regulation (EC) No 1907/2006

# **PYRO-SAFE® DEKORLACK SP 2**

Revision date: 15.01.2020 Page 8 of 8

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)