according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 31.12.2020

ROKU® AC Fire Protection Putty

11731-031 Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ROKU® AC Fire Protection Putty

Further trade names

Kerafix® Intumescent Acrylic

UFI: CM29-KNDK-4800-W9RH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Acrylic sealant,

Structural fire protection

1.3. Details of the supplier of the safety data sheet

Company name: Rolf Kuhn GmbH
Street: Jägersgrund 10
Place: D-57339 Erndtebrück
Telephone: +49 2753 5945-0

Contact person: Anwendungstechnik

e-mail: anwendungstechnik@rolfkuhngmbh.com (Contact for technical information)

Telefax: +49 2753 5945-21

Internet: www.kuhn-brandschutz.com

1.4. Emergency telephone +49 (0) 6132 / 84463 (GBK GmbH)

number: Responsible for the safety data sheet: GBK GmbH, Ingelheim,

sds@gbk-ingelheim.de

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

This product does not require labeling according to Regulation (EC) No. 1272/2008 (GHS)

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Pasty material

Hazardous components: not applicable.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

When used as intended, exposure through inhalation is not to be expected. In case of inhaling dust (possibly caused by abrasion) the affected person should be moved into fresh air. In case of unwellness seek medical advice.

After contact with skin

Remove and wash contaminated clothes before re-use. Wash off immediately with soap and plenty of water. Consult a doctor if skin irritation persists.



according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 31.12.2020

ROKU® AC Fire Protection Putty

11731-031 Page 2 of 6

After contact with eyes

Remove contact lens. Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. If symptoms develop, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Health injuries are not known or expected under normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

Unsuitable extinguishing media

Not known.

5.2. Special hazards arising from the substance or mixture

The formation of toxic gases is possible during heating or in case of fire (Ammonia, aldehydes, Alcohols, organic acids, carbon monoxide and carbon dioxide, nitrous oxides (NOx))

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Do not inhale explosion and/or combustion gases.

Additional information

Fire-extinguishing activities according to surrounding.

Apply cooling water to the side of containers that are exposed to flames.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

protective gloves and eye protection/wear protective clothing.

High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Dispose of in closed containers. Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Take up mechanically and collect in suitable container for disposal. Flush away residues with water.

Attention. Hazard of skidding.

6.4. Reference to other sections

Information for personal protective equipment look up chapter 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Avoid dust formation.

Advice on protection against fire and explosion

No specific fire preventions necessary. Pay attention to general rules of internal fire prevention.

Further information on handling

Take the usual precautions when handling with chemicals. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs. Remove and wash contaminated clothes before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against physical damage.

according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 31.12.2020

ROKU® AC Fire Protection Putty

11731-031 Page 3 of 6

Further information on storage conditions

Protect from heat and direct solar radiation. Keep from freezing. To be kept tightly closed, in a cool and dry place.

7.3. Specific end use(s)

See identified use in SECTION 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Technical and organisational measures must be applied preferentially (personal protection equipment must not be a permanent arrangement). Ensure adequate ventilation, especially in confined areas. Avoid the formation and deposition of dust.

Protective and hygiene measures

Take the usual precautions when handling with chemicals.

Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothes before re-use.

Eye/face protection

Eye wash bottle with pure water (EN 15154).

Tightly fitting goggles (EN 166).

Hand protection

Protective gloves (EN 374) Safety gloves for the site (EN420, Cat. 1 or 2).

Suitable materials also for extended, direct contact (recommended: protection index 6, corresponding to a permeation rate > 480 minutes according to EN 374): Nitrile rubber/nitrile latex - NBR (0,35 mm)

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Wear closed/long working clothes.

Respiratory protection

Breathing protection is not necessary in the case of correct usage under normal conditions. Breathing apparatus (particle filter P2) only if dust is formed.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Pasty

Colour: according to product specification

Odour: faint, characteristic

pH-Value: 7 - 9

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

No data available

No data available

Not applicable

Sustaining combustion:

Not sustaining combustion

Explosive properties

The product is not explosive.

Ignition temperature:

Not applicable

Decomposition temperature:

No data available

Revision No: 1,4 - Replaces version: 1,3 GB - EN Print date: 27.01.2021



according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 31.12.2020

ROKU® AC Fire Protection Putty

11731-031 Page 4 of 6

Oxidizing properties

Not fire-promoting.

Vapour pressure:

Density (at 20 °C):

No data available

1,55 - 1,65 g/cm³

Water solubility:

Miscible

(at 20 °C)

Solubility in other solvents

Not determined.

Partition coefficient:

Viscosity / dynamic:

No data available

Not determined

Viscosity / kinematic:

Not determined

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity with the intended use is not associated with any hazards.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Avoid effect of heat. Keep from freezing.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

The formation of toxic gases is possible during heating or in case of fire (Ammonia, aldehydes, Alcohols, organic acids, carbon monoxide and carbon dioxide, nitrous oxides (NOx))

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicological data available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Repeated or prolonged exposure may cause irritation of eyes and skin.

Sensitising effects

Based on available data, the classification criteria are not met.

Possible sensitization in case of persons suffering from hypersensitivity.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 31.12.2020

ROKU® AC Fire Protection Putty

11731-031 Page 5 of 6

Further information

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

After curing the material is odorless and completely harmless.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

Not known.

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal in accordance with local regulations.

The hardened material can be disposed of together with the household rubbish or commercial waste. Unused material (liquid, pasty) must be disposed of as hazardous waste.

List of Wastes Code - residues/unused products

161106 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; waste linings and refractories; linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Cleaning agent: Water

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Rolf Kuhn GmbH

Revision date: 31.12.2020

ROKU® AC Fire Protection Putty

11731-031 Page 6 of 6

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 4,64 g/l

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

This mixture is not classified as dangerous in according to Regulation (EC) No 1272/2008. (GHS)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,7,9,12,15,16.

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

GB - EN

