**ROKU® Fil PL 1200** 11731-040

# **ROLF***KUHN***GMBH**

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ROKU® Fil PL 1200

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Mineral-based insulating panel

## 1.3. Details of the supplier of the safety data sheet

Company name:	Rolf Kuhn GmbH	
Street:	Jägersgrund 10	
Place:	D-57339 Erndtebrück	
Telephone:	+49 2753 5945-0	Telefax: +49 2753 5945-21
Contact person:	Anwendungstechnik	
e-mail:	anwendungstechnik@rolfkuhngm	bh.com (Contact for technical information)
Internet:	www.kuhn-brandschutz.com	
1.4. Emergency telephone	+49 (0) 6132 / 84463 (GBK Gmbl	H)
number:	Responsible for the safety data s	heet: GBK GmbH, Ingelheim,
	sds@gbk-ingelheim.de	

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

## Special labelling of certain mixtures

Restricted to professional users.

## Additional advice on labelling

Article. Not applicable.

## 2.3. Other hazards

Breathing dust and fibres may cause temporary irritation to mouth, nose and throat. Observe protective instructions (see Sections 7 and 8).

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## **Chemical characterization**

Mineral-based insulating panel

Hazardous components: not applicable.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

The first-aid measures refer to the contact with dust arising during the processing of the product (e.g. sawing, drilling, grinding). Remove contaminated clothing immediately and dispose of safely.

# After inhalation

Do not breathe dust. In case of inhaling dust (possibly caused by abrasion) the affected person should be moved into fresh air. In case of unwellness seek medical advice.

#### After contact with skin

Wash off immediately with soap and plenty of water. Consult a doctor if skin irritation persists.

#### After contact with eyes

Do not rub eyes - contains inorganic fillers, which irritate the eyes mechanically like other inert materials.



according to Regulation (EC) No 1907/2006 Rolf Kuhn GmbH Revision date: 08.05.2019

# **ROLF***KUHN***GMBH**

PASSIVER TECHNISCHER BRANDSCHUTZ

#### **ROKU® Fil PL 1200** 11731-040

Page 2 of 7

Remove contact lens. Rinse thoroughly with plenty of water, also under the eyelids. Summon a doctor immediately.

# After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Summon a doctor immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Direct risks for people and the environment are not to be expected.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Product itself does not burn. Fire-extinguishing activities according to surrounding.

## Unsuitable extinguishing media

Not known.

## 5.2. Special hazards arising from the substance or mixture

May occur alkaline solutions in the presence of extinguishing water.

## 5.3. Advice for firefighters

Protective equipment has to be chosen according to the ambient conditions.

## Additional information

The product is not combustible. (Construction material class A1)

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid the formation and deposition of dust. Do not breathe dust. Use breathing apparatus if exposed to dust.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

## 6.3. Methods and material for containment and cleaning up

Do not stir up dust. Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Must avoid the use of compressed air and sweeping. No release of hazardous substances.

## 6.4. Reference to other sections

Information for personal protective equipment look up chapter 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Use approved industrial vacuum cleaner for removal. Avoid dust formation. Do not stir up dust.

## Advice on protection against fire and explosion

No specific fire preventions necessary. Pay attention to general rules of internal fire prevention.

#### Further information on handling

Take the usual precautions when handling with chemicals. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs. Remove contaminated soaked clothing immediately, don't leave to dry.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Protect against physical damage.

## Hints on joint storage

Do not store with acids. Do not store together with food.

## Further information on storage conditions

Protect from heat and direct solar radiation. Keep from freezing. To be kept tightly closed, in a cool and dry



# Safety Data Sheet

according to Regulation (EC) No 1907/2006 Rolf Kuhn GmbH Revision date: 08.05.2019

**ROKU® Fil PL 1200** 11731-040

place.

# 7.3. Specific end use(s)

Mineral-based insulating panel

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## 8.2. Exposure controls





## Appropriate engineering controls

Technical and organisational measures must be applied preferentially (personal protection equipment must not be a permanent arrangement). Ensure adequate ventilation, especially in confined areas. Avoid the formation and deposition of dust.

# Protective and hygiene measures

Take the usual precautions when handling with chemicals. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Remove contaminated soaked clothing immediately.

## Eye/face protection

Eye wash bottle with pure water (EN 15154). Tightly fitting goggles (EN 166).

## Hand protection

Protective gloves (EN 374)

Safety gloves for the site (EN420, Cat. 1 or 2). Treat subsequently with skin cream. After work dust rinse with cold water.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

# Skin protection

Wear closed/long working clothes.

# **Respiratory protection**

In case of dust formation wear micro dust mask. (FFP3)

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Solid matter, Plates
Colour:	Grey - green
Odour:	Odourless

## pH-Value:

not applicable in delivery state Changes in the physical state 1200 °C Melting point: Initial boiling point and boiling range: Not applicable Sublimation point: Not applicable Flash point: Not applicable Sustaining combustion: Not sustaining combustion **Explosive properties** The product is not explosive. Lower explosion limits: Not applicable

Revision No: 1,1

Upper explosion limits:



Not applicable



# ROLF*KUHN*GM

PASSIVER TECHNISCHER BRANDSCHUTZ

Safety Data Sheet according to Regulation (EC) No 1907/2006 Rolf Kuhn GmbH Revision date: 08.05.2019

**ROKU® Fil PL 1200** 11731-040



PASSIVER TECHNISCHER BRANDSCHUTZ

Page 4 of 7

Ignition temperature:	Not applicable
Auto-ignition temperature Solid:	Not applicable
Oxidizing properties The product is not self-igniting	
Vapour pressure:	Not applicable
Water solubility: (at 20 °C)	Miscible
Solubility in other solvents Not determined	
Viscosity / dynamic: (at 20 °C)	Not applicable
Viscosity / kinematic:	Not applicable
Flow time:	Not applicable
Solvent content:	0 %
2. Other information	

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Chemically stable.

# 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

No data available

# 10.6. Hazardous decomposition products

No hazardous decomposition products known.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

#### Acute toxicity

Based on available data, the classification criteria are not met.

## Irritation and corrosivity

Based on available data, the classification criteria are not met. Release of dust may result from mechanical processing. Dust particles, like other inert materials, are mechanically irritating the eyes. Repeated or prolonged exposure may cause irritation of eyes and skin. Breathing dust and fibres may cause temporary irritation to mouth, nose and throat. Ingestion of dust and fibres may cause temporary mechanical irritation of the digestive system.

#### Sensitising effects

Based on available data, the classification criteria are not met. No sensitizing effect known.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006 Rolf Kuhn GmbH Revision date: 08.05.2019

**ROKU® Fil PL 1200** 

11731-040

# **ROLF***KUHN***GMBH**

PASSIVER TECHNISCHER BRANDSCHUTZ

Page 5 of 7

#### **STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

None.

## 12.2. Persistence and degradability

Slightly biodegradable

# 12.3. Bioaccumulative potential

Not applicable.

# <u>12.4. Mobility in soil</u>

Not applicable.

# 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT substance.

# 12.6. Other adverse effects

Not known.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Advice on disposal

Disposal in accordance with local regulations. Where possible recycling is preferred to disposal.

## Waste disposal number of waste from residues/unused products

170802 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); gypsum-based construction material; gypsum-based construction materials other than those mentioned in 17 08 01

## Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	



**ROKU® Fil PL 1200** 

# ROLF*KUHN* GMBH

PASSIVER TECHNISCHER BRANDSCHUTZ

11731-040	Page	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
4.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
4.6. Special precautions for user		
No dangerous good in sense of this	transport regulation.	
4.7. Transport in bulk according to Anne	x II of Marpol and the IBC Code	
No dangerous good in sense of this	transport regulation.	
Other applicable information		
Not applicable. No hazardous mater	ial as defined by the transport regulations	
SECTION 15: Regulatory information		
Content 15. Regulatory mormation		
5.1. Safety, health and environmental reg	gulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	0 %	
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
National regulatory information		
Water contaminating class (D):	not water contaminating	
5.2. Chemical safety assessment		
	ibstances in this mixture were not carried out.	
SECTION 16: Other information Changes		
Abbreviations and acronyms		
-	Union, part of the secondary Union law	
CAS-Nr.: Chemical Abstracts Servic		
	ardous Substances "storage of hazardous materials in portable tanks"	
	ardous Substances "workplace exposure limits"	
	ves (gloves for protection against chemicals and micro-organisms)	
EN 166: European safety standards	for eye and face protection (requirements)	
EN 166: European safety standards STOT: Specific target organ toxicity		
EN 166: European safety standards		
EN 166: European safety standards STOT: Specific target organ toxicity AVV: European Waste Catalogue VOC: Volatile organic compound GHS: Globally Harmonized System	for eye and face protection (requirements) of Classification, Labelling and Packaging of Chemicals	
EN 166: European safety standards STOT: Specific target organ toxicity AVV: European Waste Catalogue VOC: Volatile organic compound GHS: Globally Harmonized System ADR: Accord européen relatif au tra	for eye and face protection (requirements) of Classification, Labelling and Packaging of Chemicals nsport international des marchandises Dangereuses par Route	
EN 166: European safety standards STOT: Specific target organ toxicity AVV: European Waste Catalogue VOC: Volatile organic compound GHS: Globally Harmonized System ADR: Accord européen relatif au tra (Agreement concerning the internati	for eye and face protection (requirements) of Classification, Labelling and Packaging of Chemicals	

IMDG-Code: International Maritime Code for Dangerous Goods

ADN: sea and inland waterway transport

ICAO: International Civil Aviation Organization

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships

IBC-Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

n.a. - not applicabile

# **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

Revision No: 1,1

GB - EN

Print date: 08.05.2019



# **ROLF***KUHN***GMBH**

PASSIVER TECHNISCHER BRANDSCHUTZ

**ROKU® Fil PL 1200** 11731-040

Page 7 of 7

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)